GENERAL NOTES

- 1. THE LOCATION OF DRAINAGE STRUCTURES, STORM SEWERS, WATER MAINS, SANITARY SEWERS, AND OTHER PUBLIC OR PRIVATE UTILITIES AS SHOWN ON THE PLANS IS APPROXIMATE AND THEIR EXACT LOCATION IS TO BE DETERMINED IN THE FIELD BY THE CONTRACTOR, THIS WORK SHALL BE PERFORMED AT NO ADDITIONAL COST TO THE CONTRACT.
- 2. THE CONTRACTOR SHALL NOTIFY ALL UTILITY COMPANIES OF THE CONSTRUCTION SCHEDULE PRIOR TO BEGINNING CONSTRUCTION. UTILITY OWNERS SHALL BE REQUESTED TO RELOCATE THEIR FACILITIES IN COOPERATION WITH THE CONTRACTORS ACTIVITIES. THE CONTRACTOR IS RESPONSIBLE FOR PROTECTING THESE FACILITIES FROM DAMAGE DURING CONSTRUCTION OF THE ROADWAY IMPROVEMENTS. ALL UTILITY LOCATIONS SHOWN MUST BE VERIFIED BY THE CONTRACTOR IN THE FIELD.
- 3. ALL AREAS DISTURBED DURING CONSTRUCTION OPERATIONS AND NOT PART OF THE WORK AS SHOWN HEREIN SHALL BE RESTORED TO ORIGINAL CONDITION
 TO THE SATISFACTION OF THE VILLAGE OF GERMANTOWN HILLS AT NO ADDITIONAL
 COMPENSATION TO THE CONTRACTOR. IT IS INCLIMBENT UPON THE CONTRACTOR TO SHOW THAT DAMAGED AREAS WERE NOT DISTURBED BY CONSTRUCTION OPERATIONS.
- 4. THE CONTRACTOR SHALL TAKE ALL NECESSARY SAFETY PRECAUTIONS TO PROTECT CONSTRUCTION WORKERS, ABUTTING PROPERTY, UTILITIES, PEDESTRIANS, AND VEHICLES.
- 5. THE CONTRACTOR IS RESPONSIBLE FOR COORDINATING WITH UTILITY COMPANIES TO CAUSE THE ADJUSTMENT, RELOCATION, OR REMOVAL OF EXISTING UTILITIES AS NECESSARY TO ALLOW CONSTRUCTION OF THE PROPOSED IMPROVEMENTS IDENTIFIED IN THESE
- 6. CONTRACTOR IS RESPONSIBLE FOR REMOVAL, STORAGE, AND RE-INSTALLATION OF ALL EXISTING SIGNAGE AND OTHER ITEMS THAT ARE IMPACTED BY THIS CONTRACT AND ARE NOT SHOWN AS BEING REPLACED. THE LOCATION OF RE-INSTALLED SIGNAGE IS TO BE DETERMIND BY THE ENGINEER. THE CONTRACTOR IS RESPONSIBLE FOR REPLACING ANY OF THESE ITEMS THAT ARE DAMAGED AS A RESULT OF THIS CONTRACT AT NO ADDITIONAL COST. THE REMOVAL AND RE-INSTALLATION OF THESE ITEMS SHALL BE PERFORMED AT NO ADDITIONAL COST TO THE CONTRACT.
- 7. THE CONTRACTOR SHALL MAINTAIN TWO-WAY TRAFFIC ON FANDEL ROAD THROUGHOUT THE DURATION OF CONSTRUCTION.
- 8. CONTRACTOR MUST SAWCUT FOR SIDEWALK AT EXISTING PAVEMENTS AT LOCATIONS SHOWN ON THE PLANS TO AVOID DAMAGE TO ADJACENT ROADWAYS.
- 9. ANY REFERENCE TO A STANDARD IN THESE PLANS SHALL BE INTERPRETED TO MEAN THE EDITION AS INDICATED BY THE SUBNUMBER SHOWN IN THE LIST OF STANDARDS OR THE COPY INCLUDED IN THESE PLANS.
- 10. CONTRACTOR SHALL DISPOSE OF ALL CONSTRUCTION DEBRIS IN CONFORMANCE WITH CURRENT IEPA REGULATIONS.
- 11. EXISTING TRAFFIC CONTROL SIGNS AND DEVICES THAT ARE IN CONFLICT WITH CONSTRUCTION TRAFFIC CONTROL SIGNS AND DEVICES SHALL BE REMOVED OR COVERED BY THE CONTRACTOR ONCE THE CONSTRUCTION TRAFFIC CONTROL SYSTEM IS IN PLACE. ANY SIGNS OR DEVICES LEFT IN PLACE ARE TO BE PROTECTED FROM DAMAGE DURING CONSTRUCTION. ANY DAMAGED SIGNS OR DEVICES SHALL BE REPAIRED OR REPLACED BY THE CONTRACTOR.
- 12. THE CONTRACTOR MUST CONTACT J.U.L.I.E. AT LEAST 48 HOURS BEFORE EXCAVATING ANY MATERIAL OR BORING OPERATIONS.

SUMMARY OF QUANTITIES SP PAY ITEM BID RECORD						
ar 	NUMBER	ITEM DESCRIPTION	UNIT	QUANTITY	RECORD QUANTITY	
	20400800	FURNISHED EXCAVATION	CU YD	90		
	21101615	TOPSOIL FURNISH AND PLACE, 4"	SQ YD	510		
*	21400100	GRADING AND SHAPING DITCHES	FOOT	418		
	25000210	SEEDING, CLASS 2A	ACRE	0.1		
	25000400	NITROGEN FERTILIZER NUTRIENT	POUND	10		
	25000500	PHOSPHORUS FERTILIZER NUTRIENT	POUND	10		
	25000600	POTASSIUM FERTILIZER NUTRIENT	POUND	10		
	25100630	EROSION CONTROL BLANKET	SQ YD	510		
	28000400	PERIMETER EROSION BARRIER	FOOT	414		
	28000500	INLET AND PIPE PROTECTION	EACH	4		
	31100100	SUBBASE GRANULAR MATERIAL, TYPE A	TON	146		
	42400100	PORTLAND CEMENT CONCRETE SIDEWALK, 4 INCH	SQ FT	2,152		
	42400800	DETECTABLE WARNINGS	SO FT	34		
	44201771	CLASS D PATCH, TYPE IV, 10"	SO YD	113		
	50105220	PIPE CULVERT REMOVAL	FOOT	6		
*	54213660	PRECAST REINFORCED CONCRETE FLARED END SECTIONS 15"	EACH	1		
	59300100	CONTROLLED LOW STRENGTH MATERIAL	CU YD	6		
	60219300	MANHOLES, TYPE A, 4'-DIAMETER, TYPE 11 FRAME AND GRATE	EACH	1		
	60240310	INLETS, TYPE B, TYPE 11 FRAME AND GRATE	EACH	2		
	60604400	COMBINATION CONCRETE CURB & GUTTER, TYPE 8-6.18	FOOT	462		
	67100100	MOBILIZATION	L SUM	1		
Δ	78001130	PAINT PAVEMENT MARKING - LINE 6"	FOOT	196		
Δ	78001180	PAINT PAVEMENT MARKING - LINE 24"	FOOT	40		
*	X7010216	TRAFFIC CONTROL AND PROTECTION, (SPECIAL)	L SUM	1		
	Z0013798	CONSTRUCTION LAYOUT	L SUM	1		
•	Z0056648	STORM SEWERS, TYPE I, WATER MAIN QUALITY PIPE, 12"	FOOT	37		
•	Z0056650	STORM SEWERS, TYPE 1, WATER MAIN QUALITY PIPE, 15"	FOOT	6		
•	Z0075496	CONCRETE RETAINING WALL REMOVAL	FOOT	12		

A SPECIALTY ITEMS

, -4 ,	MCGSL NAME . Default	DESIGNED	1/4	EMM	REVISED -	_
LY, INC.	FILE NAME - gen_rotes.dgn	DRAWN	-	AWH	REVISED	
	PLOT SCALE " 28.8888 "/ in.	CHECKED	-	RMM	REVISED	
	PLCT DATE + 2/7/2013	DATE		2/6/2013	REVISEO -	
***********	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	·				٠

OFFICE LIGHTS AND SUBMISSION OF SUBMISSION	F.A. RTE.	RTE. SECTION		
GENERAL NOTES AND SUMMARY OF QUANTITIES		12-00008-00-SW	¥	
BUETA OF IA CUERTO! CT. WAST.	ļ		<u> </u>	
SHEET 2 OF 10 SHEETS STA, TO STA.	1	ILLINOIS FED. A	10 P	